

2713115 - Open Telecom Pin

demanded DECC
Jedie
H. Ke
Leri
Needle feedback

Finance - ^{island} budget considerations not DfP
+ DECC finance

Phase 2 proposals
Biomethane injection - DECC stable + background
District heating, potential poultry sector - possible low
interest loans

SPF rate in GB scheme

Proposed District heating uplift would apply to last
1314 generation hours only

shift 4 - other issues - cost control - Air quality
to business sustainability next for comment 27/11/15

Open team changes - Nadia moves in
Katie Reiel new policy manager - from 10/14

Timeline - OCT deadline
Citi² changes to be announced

Feasibility study - need to be completed by
27/11/15

Data submission simplified - only meter
readings - during 2014

Vol B Guidance but need to be
changed

1/11 to send amended draft for
... etc

Forward letter for planning 2 houses
- various initial proposals etc
feasibility study to decide the proposed
scheme chosen, identify development cost

- D Study work
- D Development work

Forward Notice

Final list of proposals
 1) short proposal study (Low cost) ✓
 2) Cost of scheme change (most of the work)

- Phase 2 proposal status Chapter 7
- Large biomass size limit - to proceed
- CHP - to proceed
- Direct Air Heating - not to proceed
- ASHP - proceed with air to water not air to air
- Deep Geothermal - to proceed
- Biogas - * to proceed but ~~energy value is too low~~
- ~~Energy storage - to proceed~~
- Energy Solar - not to proceed
- Direct Heating - to proceed
- Colony Fund - not to proceed
- Refinement of ^{biomass} ~~CHP~~ 6.7 ~~trial~~ to proceed
- Microthermal injection - to proceed with initial
- Heat to proceed
- High Quality Wood - to proceed in line with GTS
- Water management - Not to proceed
- Cost Control - to proceed with trial installations for biomass in 2017 + 2018

PC Received from DFE on 05/04/2017
Annotated by RHI Inquiry

to proceed with scheme