

**To:** Edmund Ward[Edmund.Ward@ofgem.gov.uk]  
**From:** Edmund Ward  
**Sent:** 2016-12-09T16:29:20Z  
**Importance:** Normal  
**Subject:** FW: Re: § Brimstone's RHI appl no redacted Info Request Letter CRM:0187835  
**Received:** 2016-12-09T16:29:22Z  
[RHI Pellet Usage Log.pdf](#)  
[Wood Pellet Invoices.pdf](#)  
[IMG\\_0386.jpeg](#)  
[IMG\\_0384.jpeg](#)  
[IMG\\_0382.jpeg](#)

----- Original Message -----

**From:** Stephen Brimstone  
**Received:** 10/08/2016 18:47  
**To:** RHI Compliance; RHI Compliance; RHI Compliance  
**Subject:** Re: § Brimstone's RHI appl no redacted Info Request Letter CRM:0187835

Please find attached as requested - fuel usage log, invoices and photographic evidence demonstrating usage of Agricultural workshop/shed. In the Spring this shed does be used to accommodate sheep during lambing if weather conditions demand so - pens are not constructed until they are needed - if you require me to construct the pens to take a photograph please let me know.

Please note as indicated on fuel usage log that by agreement I get my pellets from my father-in-law who has a large external bulk bin. I keep copies of the invoices for each load he has delivered before I take my pellets out. This ensures we reduce cost by having the one delivery.

Any further issues please let me know.

Regards,  
Stephen

On 9 Aug 2016, at 09:00, RHI Compliance <[RHI.Compliance@Ofgem.gov.uk](mailto:RHI.Compliance@Ofgem.gov.uk)> wrote:

Dear Mr Brimstone,

We are writing to inform you of a non-compliance case for § Brimstone's RHI appl no redacted by it

Attached to this email is a letter informing you of the case and action we are taking.

Please pay specific attention to the attachment as it provides information about what you need to do and if we need any further information.

If you have any questions please contact us on the number or email in the attached letter.

Kind regards,

Non-Domestic RHI Compliance Team,

Ofgem E-Serve

This message may be confidential, privileged or otherwise protected from disclosure. It does not represent the views or opinions of Ofgem unless expressly stated otherwise.

If you have received this message by mistake, please contact the sender and immediately delete the message from your system; you should not copy the message or disclose its contents to any other person or organisation.