

To: Teri Clifton[teri.clifton@ofgem.gov.uk]
From: Mark George
Sent: 2016-08-18T10:21:45Z
Importance: Normal
Subject: RE: Ofgem RHI site visits [OFFICIAL Internal Only]
Received: 2016-08-18T10:21:46Z

Hi

I assume Seamus is talking about multiple individual 'installations' (ie separate systems) and not multiple 'boilers' as part of the same heating system?

If the former then no the auditor does not inspect all boilers on site, if the latter then yes they would inspect all boilers that are part of the individual system.

When we select an installation for audit we may also select other installations on that site (ie should the statistical sample also return other installations at the same address, or specific multiple installations be referred for audit etc), however we do not automatically audit all installations at a site. The auditors will only check what we ask them to, even if they get there and find multiple other RHI installations on site.

Hope this makes sense.

Mark

Mark George, Senior Manager – Compliance & Technical, OFGEM, New Scheme Development, 9 Millbank, London, SW1P 3GE. Tel: 0207 901 3139. www.ofgem.gov.uk

From: Teri Clifton
Sent: 18 August 2016 11:00
To: Mark George
Subject: FW: Ofgem RHI site visits [OFFICIAL Internal Only]
Importance: High

One for you please- my assumption is yes but thought I'd better check!

From: Hughes, Seamus [<mailto:Seamus.Hughes@economy-ni.gov.uk>]
Sent: 18 August 2016 10:59
To: Teri Clifton
Cc: Wightman, Stuart; McCann, Brendan
Subject: FW: Ofgem RHI site visits

Hi Teri

Just following up on my email below. Grateful for your thoughts on this.

Many thanks

Regards

Seamus

Seamus Hughes

Energy Efficiency

Department for the Economy

Netherleigh

Massey Avenue

Belfast, BT4 2JP

Tel: 028 9052 9532 (ext: 29532)

TextRelay: 18001 028 9052 9532

Web: www.economy-ni.gov.uk

NI Year of Food & Drink 2016

Please consider the environment - do you really need to print this e-mail?

From: Hughes, Seamus
Sent: 17 August 2016 09:50
Re: NI Year of Food & Drink 2016
Annotated by RHI Inquiry

To: Teri Clifton
Cc: McCann, Brendan; Wightman, Stuart; Briggs, Peter
Subject: Ofgem RHI site visits

Teri

Tried to phone just now for a quick chat but you are diverting to voicemail.

I just wanted to run something past you that we forgot to mention in the teleconference yesterday. In the scenario of multiple boilers on a site and that applicant being selected for a site visit are all the boilers owned by that applicant and on the site inspected?

Our view is that all boilers on site should be included but just want to confirm your protocols around this.

Many thanks

Regards

Seamus

Seamus Hughes

Energy Efficiency

Department for the Economy

Netherleigh

Massey Avenue

Belfast, BT4 2JP

Tel: 028 9052 9532 (ext: 29532)

TextRelay: 18001 028 9052 9532

Web: www.economy-ni.gov.uk

NI Year of Food & Drink 2016

Please consider the environment - do you really need to print this e-mail?

[Internal Only]