

Subject: FW: New NI question

Hi Lade,
 Thanks for this. I have read the items you attached as well. We are still in the process of agreeing a data sharing protocol with DETI – DETI have the draft that you agreed with Karen and we are awaiting their comments on this.
 In the meantime, we would like a view if we could share the following data with them highlighted in yellow, (ie ensure there are no DPA implications of sharing this data) etc:

Publication of guidance and publication of specified information on the Department’s website

51.—(1) The Department must publish procedural guidance to participants and prospective participants in connection with the administration of the scheme.

(2) The Department must publish the following information on its website—

- (a) information in aggregate form as to—
 - (i) the number of accredited RHI installations;
 - (ii) the technology and installation capacity of those accredited RHI installations;
 - (iii) the amount of heat those accredited RHI installations have generated;
 - (iv) the total amount of periodic support payments made under each tariff; and
- (b) information in aggregate form as to—
 - (i) the number of participants who are producers of biomethane;
 - (ii) the volume of biomethane produced for injection by those participants; and
 - (iii) the total amount of periodic support payments made in respect of that biomethane;

Would you be able to give a view on this?

Thanks
 Atika

From: Omolade Barker
Sent: 01 October 2014 11:52
To: Atika Ashraf; James Robinson
Subject: RE: New NI question

Atika,
 Attached are my previous advice on exchange of data / information with DETI, which I think are equally relevant to your query. You would note that in the advice I indicated that there is scope within the current Arrangement to provide information to DETI. However in order to facilitate the ease of passing on information without considering each request on a case to case basis, I advised that we should enter into a data sharing protocol (DSP) with DETI, as we have done with DECC. Karen Wood made some enquiries about this last year and I gave her the format required (based on the current DSP with DECC) – see attached, but this was not pursued with DETI. The alternative is that every time we get a request we would have go through another laborious process of analysing whether we can release the information or not.

Happy to discuss
 Regards
 Lade

From: Teri Clifton
Sent: 26 September 2014 09:43
To: Atika Ashraf
Subject: FW: New NI question

Sorry – this is what they are after

Publication of guidance and publication of specified information on the Department’s website

51.—(1) The Department must publish procedural guidance to participants and prospective participants in connection with the administration of the scheme.

(2) The Department must publish the following information on its website—

- (a) information in aggregate form as to—
 - (i) the number of accredited RHI installations;
 - (ii) the technology and installation capacity of those accredited RHI installations;
 - (iii) the amount of heat those accredited RHI installations have generated;
 - (iv) the total amount of periodic support payments made under each tariff; and
- (b) information in aggregate form as to—
 - (i) the number of participants who are producers of biomethane;
 - (ii) the volume of biomethane produced for injection by those participants; and
 - (iii) the total amount of periodic support payments made in respect of that biomethane;

From: Teri Clifton
Sent: 26 September 2014 09:42
 Received from OF GEM on 07.06.2017
 Annotated by RHI Inquiry

To: Atika Ashraf

Subject: New NI question

Morning!

DETI have finally started to ask for stats relating to their scheme as they have realised they are light in what they publish. Do you think there are any issues in giving this to them? They already receive information on capacity, so it seems odd we don't share this information as a monthly report to them.

Thoughts?

Regards

Teri

Teri Clifton

Head of Operations RHI (Glasgow)

NSD

Ofgem

3rd Floor

Cornerstone

107 West Regent Street

Glasgow

G2 2BA

Tel: 0141 341 3991

www.ofgem.gov.uk

The logo for OFGEM, consisting of the word "ofgem" in a lowercase, sans-serif font. The "o" and "f" are connected, and the "g" is stylized with a curved bottom.